



Invitation for Bid

Sealed Bid Sale

Sale Number

38-3621

Electronic Test Equipment

Please be aware that the inventory is not being sold by DRMO Ft. Meade.
Property is located at 6730 Bay Meadow Drive, Glen Burnie, MD

Any questions or comments please contact the
Sales Contracting Officer, Linda Lamphear at (269)961-7400.

Bid Opening Date and Time

April 23, 2003; at 9:00 A.M. (EDST)

Inspection Period Begins

April 14, 2003

Payment In Full is
Required Prior to
Removal of Property

Department of Defense
Defense Reutilization and Marketing Service
National Sales Office

Invitation For Bid
Sale Number
38-3621

Bid Opening Date
April 23, 2003; at 9:00 A.M. (EDST)

Bids will be accepted until opening date and time set for Bid opening.
Bids and all required documentation received after the bid opening date
may be determined late and not considered.

The bid acceptance period must be at least 10 days from the bid opening
or the bid will be considered nonresponsive.

Mail bids to:

Defense Reutilization and Marketing Service
National Sales Office - Bids
74 Washington Ave N STE 6
Battle Creek, MI 49017-3054

Fax bids to:

(269)961-7568

Place bids electronically and view bid results at:

<http://www.drms.dla.mil>

Sales Contracting Officer (SCO) for this sale is:

Linda Lamphear, (269) 961-7400

Office Hours: 7:30 a.m. to 3:30 p.m. (EST/EDST)

Monday - Friday

High Bid information will not be provided before award.

For High Bid information after award, confirm credit of payment, or comments/recommendations,
Please call 1-888-352-9333

Unofficial abstracts are available for download/viewing at the DRMS Web site: www.drms.com

EXCHANGE SALE: This property is being offered in accordance with the exchange/sale provisions of Section 201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).

Payments

All payments must be made in U.S. currency or guaranteed instrument payable in
U.S. dollars to the Treasurer of the United States.

For additional information refer to the payment article in the Conditions of Sale in this catalog.

Credit cards accepted: VISA, Discover, MasterCard and American Express

List of Sale Items

Items 1 thru 120 are located at 6730 Bay Meadow Drive,
Glen Burnie, MD

1. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 1750A04203, plug-in. Cathode display tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, noise measurements, and terminal interaction. Frequency range rating: 0.020 to 40.000 MHz. Overall dimensions: 25"L x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE Q

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 88 pounds
Acquisition Cost: \$ 23,710.00

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

2. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 1750A02520, plug-in. Cathode display tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, noise measurements, and terminal interaction. Frequency range rating: 0.020 to 40.000 MHz. Overall dimensions: 25"L x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE Q

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 88 pounds
Acquisition Cost: \$ 23,710.00

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

3. ALOGICANALYZER:

Hewlett-Packard Company, model 16500B, serial number US35452331, logic analysis system. Five slots for measurements modules used for general purpose state and timing analyzers with memory depth up to 2M samples. Overall dimensions: 21"L x 17"W x 9"H.

NSN: 6625-01-389-1417
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 30,000.00

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

4. OSCILLOSCOPE:

Tektronix, Inc., model R7844, serial number B141530. Frequency rating: 48 Hz minimum and 440 Hz maximum. Single phase. Voltage rating: 115/230 VAC. 2.9 amps. Sweep frequency range: 0.000 to 400.000 MHz. Includes two plug-in's, models 7B80 and 7B85. Overall dimensions: 25"L x 19"W x 7"H.

NSN: 6625-01-025-6089
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 40 pounds
Acquisition Cost: \$ 20,250.00

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

5. RECORDING SET, ELECTRONIC RECONNAISSANCE:

Racal, model Store 405, serial number D7680031SS24B. Comes with case. Overall dimensions: 24"L x 18"W x 6"H.

NSN: 7025-01-120-3029
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 10,185.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

6. RECORDING SET, ELECTRONIC RECONNAISSANCE:

Racal, model Store 405, serial number RR69020104. Comes with case. Overall dimensions: 24"L x 18"W x 6"H.

NSN: 7025-01-120-3029
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 10,185.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

7. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3582A, serial number 2508A06677.
Frequency range rating: 0.020 to 25500.000 Hz. Frequency band quantity:
5. Voltage rating: 100/240 VAC. Frequency rating: 48 Hz minimum to 66
Hz maximum. Cathode ray tube displayed information: Frequency
amplitude and phase, transfer function, and coherence function. Extra
service manual provided. Overall dimensions: 21.75"L x 16.75"W x 7.4"H.

NSN: 6625-01-250-2054
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 52 pounds
Acquisition Cost: \$ 14,004.00

1 EACH

8. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3561A, serial number 2549A03713.
Frequency range rating: 0.125 to 100.000 KHz. Individual plug-in unit
frequency: 7.5 KHz. AC voltage rating: 30 volts nominal. Provides high
performance signal analyses. Overall dimensions:
23.4"L x 13.2"W x 7.8"H.

NSN: 6625-01-200-5288
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 35 pounds
Acquisition Cost: \$ 15,000.00

1 EACH

9. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3561A, serial number 2338A01782.
Frequency range rating: 0.125 to 100.000 KHz. Individual plug-in unit
frequency: 7.5 KHz. AC voltage rating: 30 volts nominal. Provides high
performance signal analyses. Overall dimensions:
23.4"L x 13.2"W x 7.8"H.

NSN: 6625-01-200-5288
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 35 pounds
Acquisition Cost: \$ 15,000.00

1 EACH

10. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3561A, serial number 2844A05963.
Frequency range rating: 0.125 to 100.000 KHz. Individual plug-in unit
frequency: 7.5 KHz. AC voltage rating: 30 volts nominal. Provides high
performance signal analyses. Overall dimensions:
23.4"L x 13.2"W x 7.8"H.

NSN: 6625-01-200-5288
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 35 pounds
Acquisition Cost: \$ 15,000.00

1 EACH

11. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585B, serial number 2933A00654.
Frequency rating: 48 Hz minimum to 440 Hz maximum. Frequency range rating: 0.000 to 40.100 MHz. Special features: 80.0 to 100.0 db dynamic range; porm 0.25 typical level accuracy; 50, 75, 1 Mohm inputs; 3 Hz resolution bandwidth. Overall dimensions: 25"L x 16.75"W x 9"H.

NSN: 6625-01-327-7229
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 81 pounds
Acquisition Cost: \$ 28,116.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

12. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8644B, serial number 34404A004AA.
Frequency range rating: 0. 252 to 1030.0000 MHz. Voltage rating:
100/120/220/240 VAC. Frequency rating: 48 Hz minimum and 440 Hz
maximum. IEEE-488 Interface, AM, FM, and pulse modulation. Traditional
out-of-channel receiver. Overall dimensions: 24.6"L x 16.8"W x 7"H.

NSN: 6625-01-448-6512
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 67 pounds
Acquisition Cost: \$ 23,000.50

1 EACH

13. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 3312A, serial number 2501A18596.
Frequency range rating: 0. 010 to 10.000 KHz. Overall dimensions:
14.875"L x 8. 5"W x 4"H.

NSN: 6625-01-028-4989
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 10 pounds
Acquisition Cost: \$ 900.00

1 EACH

14. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 3312A, serial number 1432A09051.
Frequency range rating: 0. 010 to 10.000 KHz. Overall dimensions:
14.875"L x 8. 5"W x 4"H.

NSN: 6625-01-028-4989
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 10 pounds
Acquisition Cost: \$ 900.00

1 EACH

15. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 3312A, serial number 2501A17097.
Frequency range rating: 0. 010 to 10.000 KHz. Overall dimensions:
14.875"L x 8. 5"W x 4"H.

NSN: 6625-01-028-4989
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 10 pounds
Acquisition Cost: \$ 900.00

1 EACH

16. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 3312A, serial number 2501A16615.
Frequency range rating: 0. 010 to 10.000 KHz. Overall dimensions:
14.875"L x 8. 5"W x 4"H.

NSN: 6625-01-028-4989
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 10 pounds
Acquisition Cost: \$ 900.00

1 EACH

17. AMPLIFIER, DIRECT CURRENT:

Fluke Corporation, model 5220A, serial number 3250007,
transconductance amplifier. Solid state. Operating temperature range: 0.0
to 50.0 degrees Celsius. Vibration resistance range: 5.0 to 55.0 Hz. Used
for calibrating AC/DC. Overall dimensions: 21.009"L x 17"W x 7"H.

NSN: 5996-01-083-3801
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 8,110.00

1 EACH

18. ANALYZER, ELECTRICAL PULSE:

Hewlett-Packard Company, model 141T, serial number 1850A17350, display. Z-axis input. Overall dimensions: 20"L x 17"W x 10"H.

NSN: 6625-00-424-4370
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 40 pounds
Acquisition Cost: \$ 4,141.00

1 EACH

19. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 8590A, serial number 2839A04020. Frequency range rating: 10.0 to 1500000.0 KHz. AC voltage rating: 86 volts minimum and 125 volts maximum or 195 volts minimum and 253 volts maximum. Frequency rating: 47 Hz minimum and 66 Hz maximum. Portable. Graphic pen/ink and electronic video recording device type. Provides high performance signal analyses. Overall dimensions: 18.1"D x 14.4"W x 8.4"H.

NSN: 6625-01-251-6860
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 40 pounds
Acquisition Cost: \$ 9,690.00

1 EACH

20. WITHDRAWN:**21. WITHDRAWN:****22. ANALYZER, SPECTRUM:**

Hewlett-Packard Company, model 85640A, serial number 2918A00182, RF tracking generator. 300 MHz input. Overall dimensions: 18"L x 15"W x 6"H.

NSN: 6625-01-363-5314
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 25 pounds
Acquisition Cost: \$ 8,782.00

1 EACH

23. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Hewlett-Packard Company, model 8553B, serial number 982-00776, spectrum analyzer. Maximum IV RMS 50V DC. Overall dimensions: 11.625"L x 8.125"W x 3.875"H.

NSN: 6625-00-432-5055
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 3,919.00

1 EACH

24. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Hewlett-Packard Company, model 8553B, serial number 2217A12325, spectrum analyzer. Maximum IV RMS 50V DC. Overall dimensions: 11.625"L x 8.125"W x 3.875"H.

NSN: 6625-00-432-5055
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE:
443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 3,919.00

1 EACH

25. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Hewlett-Packard Company, model 8555A, serial number 2414A13393, spectrum analyzer. Maximum IV RMS 50V DC. Overall dimensions: 11.625"L x 8.125"W x 3.875"H.

NSN: 6625-00-422-4314
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 10,270.00

1 EACH

26. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Hewlett-Packard Company, model 8554B, serial number 1923A04897, calibrated DC amplifier. Maximum IV RMS 50V DC. Overall dimensions: 11.625"L x 8.125"W x 3.875"H.

NSN: 6625-00-140-0156
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 6,660.00

1 EACH

27. MULTIMETER:

Hewlett-Packard Company, model 5005B, serial number 2510A01585, signature multimeter. Combines counter and multimeter functions with signature analysis. Bench mount, digital display, AC/DC. Overall dimensions: 17"L x 8.375"W x 5.25"H.

NSN: 6625-01-180-9479

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 12 pounds

Acquisition Cost: \$ 2,800.00

1 EACH

28. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2719A20910, switch control unit for test switching requirements. Free standing. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 19 pounds

Acquisition Cost: \$ 2,500.00

1 EACH

29. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2719A18984, switch control unit for test switching requirements. Free standing. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 19 pounds

Acquisition Cost: \$ 2,500.00

1 EACH

30. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2240A04861, switch control unit for test switching requirements. Free standing. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 19 pounds

Acquisition Cost: \$ 2,500.00

1 EACH

31. COUNTER, ELECTRONIC, DIGITAL:

Hewlett-Packard Company, model 5315B, serial number 2448A03326. Two channel: A, B. Overall dimensions: 14"L x 8"W x 4"H.

NSN: 6625-01-137-5808

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 1,323.00

1 EACH

32. EXTENDER CARD, ELECTRONIC TEST:

Hewlett-Packard Company, model 37204A, serial number 2910U12936, HP IB extender. Three position switch, master, middle, and end. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 5998-01-417-7560

DEMIL CODE B

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 7,878.75

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

33. EXTENDER CARD, ELECTRONIC TEST:

Hewlett-Packard Company, model 37204A, serial number 2910U13022, HP IB extender. Three position switch, master, middle, and end. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 5998-01-417-7560

DEMIL CODE B

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 7,878.75

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

34. EXTENDER CARD, ELECTRONIC TEST:

Hewlett-Packard Company, model 37204A, serial number 2547U04393, HP IB extender. Three position switch, master, middle, and end. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 5998-01-417-7560

DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 7,878.75

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

35. OSCILLOSCOPE:

Tektronix, Inc., model 326, serial number 300906. Frequency rating:
48 Hz minimum and 440 Hz maximum. AC or DC. Vertical deflection
sensitivity voltage rating: 500.0 volts nominal peak to peak. Overall
dimensions: 15"L x 8.7"W x 4"H.

NSN: 6625-00-395-9393

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 10 pounds

Acquisition Cost: \$ 2,000.00

1 EACH

36. OSCILLOSCOPE:

Tektronix, Inc., model 212, serial number B102711. Frequency rating:
58 Hz minimum and 62 Hz maximum. AC or DC. Voltage rating: 110 volts
minimum and 126 volts maximum. Overall dimensions:
9.5"L x 5.3"W x 3"H.

NSN: 6625-01-061-5519

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 8 pounds

Acquisition Cost: \$ 2,301.00

1 EACH

37. OSCILLOSCOPE:

Tektronix, Inc., model 2336, serial number B012678. Sweep frequency
range: 0.0 to 85.0 MHz. Visual modulation sensitivity voltage rating:
5.0 volts nominal. Overall dimensions: 17.5"L x 14.2"W x 5.4"H.

NSN: 6625-01-146-8653

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 3,719.07

1 EACH

38. OSCILLOSCOPE:

Tektronix, Inc., model 2335, serial number B013004. Frequency rating:
48 Hz minimum and 448 Hz maximum. Screen size: 8 x 10 centimeters.
Overall dimensions: 20.8"L x 12.4"W x 8.3"H.

NSN: 6625-01-156-4292

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 1,316.00

1 EACH

39. OSCILLOSCOPE:

Tektronix, Inc., model 2335, serial number B012804. Frequency rating:
48 Hz minimum and 448 Hz maximum. Screen size: 8 x 10 centimeters.
Overall dimensions: 20.8"L x 12.4"W x 8.3"H.

NSN: 6625-01-156-4292

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 1,316.00

1 EACH

40. OSCILLOSCOPE:

Tektronix, Inc., model 2465BCT, serial number B054926. Frequency
rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 120/240
VAC. Includes rack mounting option and two extra prods. GPIB interface;
counter, timer, trigger, and word recognizer features. Overall dimensions:
17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-304-8892

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 17,233.42

1 EACH

41. OSCILLOSCOPE:

Tektronix, Inc., model 2440, serial number B015547. Overall dimensions: 17"L x 13"W x 8"H.

NSN: 6625-01-339-2391
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 12,000.00

1 EACH

42. OSCILLOSCOPE:

Tektronix, Inc., model 2235, serial number B071770. Overall dimensions: 17"L x 13"W x 8"H.

NSN: 6625-01-329-8994
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 1,995.00

1 EACH

43. OSCILLOSCOPE:

Tektronix, Inc., model 465, serial number B198780. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 110/240 VAC. Overall dimensions: 18.1"L x 12.9"W x 6.2"H.

NSN: 6625-00-322-8716
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 2,987.92

1 EACH

44. OSCILLOSCOPE:

Tektronix, Inc., model 475, serial number B271149. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 110/115/120/220/230/240 VAC. Table mount. Graduation interval: graduated in V/0.2 cm both axes. Overall dimensions: 20.3"L x 12.9"W x 6.2"H.

NSN: 6625-00-127-0079
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 3,936.10

1 EACH

45. OSCILLOSCOPE:

Tektronix, Inc., model 2225, serial number 102713. Sweep frequency range: 5.0 to 50.0 MHz. Single trigger sweep duration: 7.0 nanoseconds nominal. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 95 volts minimum and 250 volts maximum. Perform measurements associated with dual time base scopes. HF/LF reject trigger filters; X5, X10, X50 magnification; peak-to-peak auto triggering; two channel, single time base. Overall dimensions: 17.3"D x 15"W x 5.4"H.

NSN: 6625-01-318-0368
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 1,488.09

1 EACH

46. TEST SET, TELECOMMUNICATION SYSTEM:

Telecommunications Techniques Corporation, model DS-10, serial number 6701. Measures the delay time between any two selected events. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100 VAC minimum to 240 VAC maximum. Frequency rating: 48 Hz minimum and 66 Hz maximum. Single phase. Operating modes are full duplex, half duplex continuous, half duplex single, single transmit, and self test mode; timing is synchronous and recovered clock from 10 b/s to 500 Kb/s; asynchronous from 10 b/s to 20 Kb/s; remote and automatic testing via RS-232, IEEE-488, or HP-IL control interfaces. Four user messages. Overall dimensions: 13.5"L x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 25 pounds
Acquisition Cost: \$ 9,710.00

1 EACH

47. TEST SET, TELECOMMUNICATION SYSTEM:

Telecommunications Techniques Corporation, model DS-10, serial number 140. Measures the delay time between any two selected events. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100 VAC minimum to 240 VAC maximum. Frequency rating: 48 Hz minimum and 66 Hz maximum. Single phase. Operating modes are full duplex, half duplex continuous, half duplex single, single transmit, and self test mode; timing is synchronous and recovered clock from 10 b/s to 500 Kb/s; asynchronous from 10 b/s to 20 Kb/s; remote and automatic testing via RS-232, IEEE-488, or HP-IL control interfaces. Four user messages. Overall dimensions: 13.5"L x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 25 pounds

Acquisition Cost: \$ 9,710.00

1 EACH

48. TEST SET, TELECOMMUNICATION SYSTEM:

Telecommunications Techniques Corporation, model DS-10, serial number 4170. Measures the delay time between any two selected events. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100 VAC minimum to 240 VAC maximum. Frequency rating: 48 Hz minimum and 66 Hz maximum. Single phase. Operating modes are full duplex, half duplex continuous, half duplex single, single transmit, and self test mode; timing is synchronous and recovered clock from 10 b/s to 500 Kb/s; asynchronous from 10 b/s to 20 Kb/s; remote and automatic testing via RS-232, IEEE-488, or HP-IL control interfaces. Four user messages. Overall dimensions: 13.5"L x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 25 pounds

Acquisition Cost: \$ 9,710.00

1 EACH

49. TEST SET, TELECOMMUNICATION SYSTEM:

Telecommunications Techniques Corporation, model DS-10, serial number 4164. Measures the delay time between any two selected events. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100 VAC minimum to 240 VAC maximum. Frequency rating: 48 Hz minimum and 66 Hz maximum. Single phase. Operating modes are full duplex, half duplex continuous, half duplex single, single transmit, and self test mode; timing

is synchronous and recovered clock from 10 b/s to 500 Kb/s; asynchronous from 10 b/s to 20 Kb/s; remote and automatic testing via RS-232, IEEE-488, or HP-IL control interfaces. Four user messages. Overall dimensions: 13.5"L x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 25 pounds

Acquisition Cost: \$ 9,710.00

1 EACH

50. TEST SET, TELECOMMUNICATION SYSTEM:

Telecommunications Techniques Corporation, model DS-10, serial number 124. Measures the delay time between any two selected events. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100 VAC minimum to 240 VAC maximum. Frequency rating: 48 Hz minimum and 66 Hz maximum. Single phase. Operating modes are full duplex, half duplex continuous, half duplex single, single transmit, and self test mode; timing is synchronous and recovered clock from 10 b/s to 500 Kb/s; asynchronous from 10 b/s to 20 Kb/s; remote and automatic testing via RS-232, IEEE-488, or HP-IL control interfaces. Four user messages. Overall dimensions: 13.5"L x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 25 pounds

Acquisition Cost: \$ 9,710.00

1 EACH

51. TEST SET, TELECOMMUNICATION SYSTEM:

Telecommunications Techniques Corporation, model DS-10, serial number 5525. Measures the delay time between any two selected events. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100 VAC minimum to 240 VAC maximum. Frequency rating: 48 Hz minimum and 66 Hz maximum. Single phase. Operating modes are full duplex, half duplex continuous, half duplex single, single transmit, and self test mode; timing is synchronous and recovered clock from 10 b/s to 500 Kb/s; asynchronous from 10 b/s to 20 Kb/s; remote and automatic testing via RS-232, IEEE-488, or HP-IL control interfaces. Four user messages. Overall dimensions: 13.5"L x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 25 pounds

Acquisition Cost: \$ 9,710.00

1 EACH

52. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5371A, serial number 2842A01121. Frequency rating: 47 Hz minimum and 63 Hz maximum. Voltage rating: 100V minimum and 240V maximum. Display is a cathode ray tube that displays digital data along with other formats, i.e. graphs. Performs period measurements from 2 ns to 8 seconds; time rise/fall from 1 ns to 100 ms; pulse width from 1 ns to 1 ms; peak amplitude from 200 millivolts to 2 volts peak-peak- DC, and 1 kHz to 200 MHz; signal operating range is minus 2 to plus 2 volts DC plus peak AC; memory size is 1000 measurements; HP-1B compatible. Overall dimensions: 22.6"L x 16.7"W x 7"H.

NSN: 6625-01-296-5044
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 51 pounds
Acquisition Cost: \$ 20,253.00

1 EACH

53. TEST SET, SEMICONDUCTOR DEVICE:

Hewlett-Packard Company, model 4191A, serial number 1930J00429, analyzer. Designed to test RF impedance; semiconductor measurement. Frequency rating: 48 Hz minimum and 66 Hz maximum. Voltage rating: 100V minimum and 240V maximum. Performs analysis of 14 parameters with 4.5 digit resolution across a 1 to 1000 MHz frequency range. Overall dimensions: 27"L x 17"W x 10"H.

NSN: 6625-01-259-8161
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 53 pounds
Acquisition Cost: \$ 14,367.00

1 EACH

54. OSCILLOSCOPE:

Tektronix, Inc., model R7704, serial number B082380. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 90 volts minimum and 264 volts maximum. A 4 plug-in compartment, general-purpose, 175 MHz mainframe. Overall dimensions: 22.4"L x 19"W x 7"H.

NSN: 6625-01-129-5205
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 16,508.26

1 EACH

55. OSCILLOSCOPE:

Tektronix, Inc., model R7704, serial number B082387. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 90 volts minimum and 264 volts maximum. A 4 plug-in compartment, general-purpose, 175 MHz mainframe. Overall dimensions: 22.4"L x 19"W x 7"H.

NSN: 6625-01-129-5205
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 16,508.26

1 EACH

56. OSCILLOSCOPE:

Tektronix, Inc., model R7704, serial number B082285. Frequency rating: 60 Hz nominal. Voltage rating: 115 volts nominal. AC/DC. A 4 plug-in compartment, general-purpose, 175 MHz mainframe; compatible with all Tektronix 7000-series plug-ins. Overall dimensions: 22.4"L x 19"W x 7"H.

NSN: 6625-00-007-8487
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 8,150.00

1 EACH

57. OSCILLOSCOPE:

Tektronix, Inc., model R7704, serial number B082008. Frequency rating: 60 Hz nominal. Voltage rating: 115 volts nominal. AC/DC. A 4 plug-in compartment, general-purpose, 175 MHz mainframe; compatible with all Tektronix 7000-series plug-ins. Overall dimensions: 22.4"L x 19"W x 7"H.

NSN: 6625-00-007-8487
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 8,150.00

1 EACH

58. CHASSIS, PLUG-IN UNIT, ELECTRONIC TEST:

Tektronix, Inc., model TM5006, serial number B038086. Operating requirements: 48.0/66.0 Hz. Operating power: 100/110/120/200/220/240 VAC porm 10 percent. Power consumption maximum: 650 VAC. Rack mount. Includes high power compartment on right hand end to supply higher current levels. Accommodates up to six plug-in modules from the Tek TM5000 and TM500 series. IEEE standard 488 compatible. Also includes PS5020 power supply and four plug-ins. Overall dimensions: 19.2"L x 17.5"W x 7.6"H.

NSN: 6625-01-236-5793
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose

Inside - Used – Condition Code: A
Estimated weight: 32 pounds
Acquisition Cost: \$ 3,573.66

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

59. ANALYZER, SPECTRUM, WITH TEST SET SUBASSEMBLY:

Hewlett-Packard Company, model 8568B, serial number 1839A00430, with model 85662A, serial number 2005A01474 intermediate frequency subassembly, NSN 6625-01-150-2146. Overall dimensions: 22"L x 17"W x 11"H.

NSN: 6625-01-226-1252
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose

Inside - Used – Condition Code: A
Estimated weight: 100 pounds
Acquisition Cost: \$ 66,335.08

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

60. RACK, ELECTRICAL EQUIPMENT:

Tektronix, Inc., model TM506, serial number B044162, power module chassis. Style designator: H16 enclosed vertical front. Includes three generator plug-ins, model FG504. Overall dimensions: 20"L x 19"W x 5"H.

NSN: 6625-01-027-1642
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose

Inside - Used – Condition Code: A
Estimated weight: 40 pounds
Acquisition Cost: \$ 10,151.53

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

61. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number B390018. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Includes two time base plug-ins, model 7B85. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose

Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 9,340.00

1 EACH

62. OSCILLOSCOPE MAINFRAME:

Tektronix Inc., model 5110, serial number H700708. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 100/110/120/200/220/240 volts nominal. Accommodates three plug-ins from Tektronix 5100 series. 2 MHz bandwidth. X-Y mode: Phase shift is within one degree from DC to 100 kHz. CRT is electrostatic-deflecting with internal graticule. Bright display provided by 3.5 kV accelerating potential; standard P31 phosphor. Overall dimensions: 19"L x 19"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose

Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 3,090.00

1 EACH

63. OSCILLOSCOPE MAINFRAME:

Tektronix Inc., model 5110, serial number H700618. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 100/110/120/200/220/240 volts nominal. Accommodates three plug-ins from Tektronix 5100 series. 2 MHz bandwidth. X-Y mode: Phase shift is within one degree from DC to 100 kHz. CRT is electrostatic-deflecting with internal graticule. Bright display provided by 3.5 kV accelerating potential; standard P31 phosphor. Overall dimensions: 19"L x 19"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 3,090.00

1 EACH

64. OSCILLOSCOPE MAINFRAME:

Tektronix Inc., model 5110, serial number H700570. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 100/110/120/200/220/240 volts nominal. Accommodates three plug-ins from Tektronix 5100 series. 2 MHz bandwidth. X-Y mode: Phase shift is within one degree from DC to 100 kHz. CRT is electrostatic-deflecting with internal graticule. Bright display provided by 3.5 kV accelerating potential; standard P31 phosphor. Overall dimensions: 19"L x 19"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 3,090.00

1 EACH

65. OSCILLOSCOPE MAINFRAME:

Tektronix Inc., model 5110, serial number H700629. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 100/110/120/200/220/240 volts nominal. Accommodates three plug-ins from Tektronix 5100 series. 2 MHz bandwidth. X-Y mode: Phase shift is within one degree from DC to 100 kHz. CRT is electrostatic-deflecting with internal graticule. Bright display provided by 3.5 kV accelerating potential; standard P31 phosphor. Overall dimensions: 19"L x 19"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$12360.00

1 EACH

66. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number H707750. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 20,220.00

1 EACH

67. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number H707618. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 8,420.00

1 EACH

68. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number 706637. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 8,420.00

1 EACH

69. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3588A-001, serial number 3005A00422. Frequency range rating: 0.000 to 150.000 MHz. Voltage rating: 115 volts minimum and 150 volts maximum. With synthesized tracking generator. Option 001 precision frequency ref. Overall dimensions: 25"L x 17"W x 9"H.

NSN: 6625-01-393-8013
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 23,729.75

1 EACH

70. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 8568B, serial number 2732A03919.
Includes analyzer subassembly. Overall dimensions: 22"L x 17"W x 11"H.

NSN: 6625-01-226-1252
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 100 pounds
Acquisition Cost: \$ 56,642.65

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

71. METER, ELECTRICAL FREQUENCY:

Hewlett-Packard Company, model 4284A, serial number 2940J02029.
Measurement range: 20.0 to 100.0 Hz single indicator single range.
Accuracy rating: 0.05 percent basic accuracy 6-digit resolution single
indicator single range. Overall dimensions: 22"L x 18"W x 7"H.

NSN: 6625-01-386-7510
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 25 pounds
Acquisition Cost: \$ 15,793.00

1 EACH

72. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3562A, serial number 2502A01631.
Frequency range rating: 0.000 to 100.000 kHz. Voltage rating: 115 volts
minimum and 230 volts maximum. Frequency rating: 48 Hz minimum and
440 Hz maximum. Overall dimensions: 22.75"L x 16.75"W x 8.75"H.

NSN: 6625-01-305-1123
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 56 pounds
Acquisition Cost: \$ 22,582.00

1 EACH

73. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3562A, serial number 3216A05707.
Frequency range rating: 0.000 to 100.000 kHz. Voltage rating: 115 volts
minimum and 230 volts maximum. Frequency rating: 48 Hz minimum and
440 Hz maximum. Overall dimensions: 22.75"L x 16.75"W x 8.75"H.

NSN: 6625-01-305-1123
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 56 pounds
Acquisition Cost: \$ 22,582.00

1 EACH

74. SYNTHESIZER, ELECTRICAL FREQUENCY:

Hewlett-Packard Company, model 3326A, serial number 2519A01015.
Module installation design. Encased enclosure type. Overall dimensions:
19.625"L x 7"W x 16.75"H.

NSN: 6625-01-236-5804
DEMIL CODE Q

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 60 pounds
Acquisition Cost: \$ 22,956.95

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

75. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5335A, serial number 3415A15197.
Measurement type: Frequency, period average, ratio, time, time interval,
and totalizing. Frequency range: 0.000 to 100.000 MHz overall.
Frequency rating: 30 Hz minimum and 100 Hz maximum. Voltage rating:
100V minimum and 240V maximum. Bench mount. Sensitivity rating:
25mV RMS sine wave; 75mV to 2.5V peak-to-peak at minimum pulse of
5ns. Display positioned decimal point provided. Overall dimensions:
16"L x 19"W x 6"H.

NSN: 6625-01-252-0322
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 5,510.00

1 EACH

76. SYNTHESIZER, ELECTRICAL FREQUENCY:

Hewlett-Packard Company, model 3325B, serial number 2847A02791. Solid state, encased. Waveforms: Sine, square, triangle, negative and positive ramps. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-386-4199
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 20 pounds
Acquisition Cost: \$ 5,100.00

1 EACH

77. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number H707170. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Read out intensity dial. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 6,879.82

1 EACH

78. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number 706636. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Read out intensity dial. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 17,804.00

1 EACH

79. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number B390013. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Read out intensity dial. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 17,804.00

1 EACH

80. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number B390023. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Accommodates three plug-ins from Tektronix 7000 series. Read out intensity dial. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 16,874.00

1 EACH

81. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number B389973. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Includes three plug-ins from Tektronix 7000 series. Read out intensity dial. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 40 pounds
Acquisition Cost: \$ 20,844.00

1 EACH

82. OSCILLOSCOPE MAINFRAME:

Tektronix, Inc., model 7603, serial number H707589. Frequency rating: 50 Hz minimum and 400 Hz maximum. Voltage rating: 100/110/120/200/240 volts nominal. Includes programmable digitizer 7D20. Read out intensity dial. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 40 pounds
Acquisition Cost: \$ 16,047.00

1 EACH

83. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5335A, serial number 2510A07807. Measurement type: Frequency, and time. Frequency range: 0.000 to 200.000 MHz F1 input ratio and 0.000 to 100.00 MHz F2 input ratio. Frequency rating: 48 Hz minimum and 66 Hz maximum. Voltage rating: 100V minimum and 240V maximum. Bench mount. Overall dimensions: 16.75"L x 13.5"W x 5.25"H.

NSN: 6625-01-127-4955
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 20 pounds
Acquisition Cost: \$ 2,550.00

1 EACH

84. ANALYZER, NETWORK:

Agilent Technologies Inc., model 8562EC, serial number 3946A00212. IF input, CAL input 1st LO input. Overall dimensions: 23"L x 15"W x 6"H.

NSN: 6625-01-473-0670
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 50 pounds
Acquisition Cost: \$ 13,410.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

85. OSCILLOSCOPE:

Tektronix, Inc., model 2430A, serial number B014212. Sweep circuits included. Overall dimensions: 22"L x 13"W x 11"H.

NSN: 6625-01257-2868
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 8,561.00

1 EACH

86. OSCILLOSCOPE:

Tektronix, Inc., model 2430A, serial number B014341. Sweep circuits included. Overall dimensions: 22"L x 13"W x 11"H.

NSN: 6625-01257-2868
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 30 pounds
Acquisition Cost: \$ 8,550.00

1 EACH

87. OSCILLOSCOPE:

Tektronix, Inc., model 2235, serial number B035555. Single trigger sweep 3.5 nanoseconds nominal. Overall dimensions: 17"L x 19"W x 5"H.

NSN: 6625-01-329-8994
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 10 pounds
Acquisition Cost: \$ 3,500.00

1 EACH

88. OSCILLOSCOPE:

Tektronix, Inc., model R475, serial number B280610. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 110/115/120/220/230/240 VAC. Table mount. Graduation interval: graduated in V/0.2 cm both axes. Amplifier deflection provided. Overall dimensions: 20.3"L x 12.9"W x 6.2"H.

NSN: 6625-00-127-0079
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 20 pounds
Acquisition Cost: \$ 3,936.00

1 EACH

89. VOLTMETER:

Hewlett-Packard Company, model 3457A, serial number 2703A04976. Indicator type digital display. Overall dimensions: 13"L x 17"W x 4"H.

NSN: 6625-01-222-0638
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 4,115.39

1 EACH

90. OSCILLOSCOPE:

Tektronix, Inc., model 213DMM, serial number B045855. Combines 3-½ digit digital multimeter and 1 MHz oscilloscope. Measures at locations often inaccessible or impractical for larger instruments. Overall dimensions: 8.9"L x 5.2"W x 3"H.

NSN: 6625-01-025-8808

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 4 pounds

Acquisition Cost: \$ 2,820.00

1 EACH

91. SYNTHESIZER, ELECTRICAL FREQUENCY:

Hewlett-Packard Company, model 8904A, serial number 2948A05932. Solid state. Six display settings. Overall dimensions: 20.2"L x 8.36"W x 5.25"H.

NSN: 6625-01-331-4895

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 10 pounds

Acquisition Cost: \$ 2,000.00

1 EACH

92. ANALYZER, DIGITAL DATA, ELECTRONIC TEST:

Tektronix, Inc., model 338, serial number 300876, logic analyzer. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 115/230 volts nominal. Functional description: parallel/serial data acquisition. Includes accessory pouch. Overall dimensions: 16.1"D x 9.3"W x 4.7"H.

NSN: 6625-01-224-0738

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 12 pounds

Acquisition Cost: \$ 6,720.00

1 EACH

93. OSCILLOSCOPE:

Tektronix, Inc., model THS720A, serial number B016042. Bandwidth: 100 MHz. Overall dimensions: 8"L x 7"W x 2"H.

NSN: 6625-01-438-8024

DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 7 pounds

Acquisition Cost: \$ 1,976.00

1 EACH

94. TEST SET, TELEPHONE:

Ameritec Corporation, model AM-48, serial number 348912. Tests noise level, frequency, frequency response, signal to noise ratio, phase jitter, and dropouts. Overall dimensions: 14"L x 11"W x 3"H.

NSN: 6625-01-304-4945

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 5 pounds

Acquisition Cost: \$ 2,669.46

1 EACH

95. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8657A, serial number 2919A00662. Frequency range rating: 0.100 to 1040.0000 MHz. Voltage rating: 100/240 VAC. Frequency rating: 48 Hz minimum and 440 Hz maximum. Overall dimensions: 20.5"L x 16.75"W x 5.25"H.

NSN: 6625-01-358-4922

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 30 pounds

Acquisition Cost: \$ 10,723.00

1 EACH

96. ANALYZER, ELECTRICAL PULSE:

Hewlett-Packard Company, model 141T, serial number 2506A23991. Includes two analyzers. Overall dimensions: 18"L x 19"W x 9"H.

NSN: 6625-00-424-4370

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 75 pounds

Acquisition Cost: \$ 13,828.00

1 EACH

97. SYNTHESIZER, ELECTRICAL FREQUENCY:

Hewlett-Packard Company, model 3325B, serial number 2801A01211. Solid state, encased. Waveforms: Sine, square, triangle, negative and positive ramps. Installation design: Top of cabinet/counter. Overall dimensions: 21"L x 19"W x 5"H.

NSN: 6625-01-386-4199

DEMIL CODE A

CONTACT: MIKE DREXEL

PHONE: 443-479-2817

Loose

Inside - Used – Condition Code: A

Estimated weight: 15 pounds

Acquisition Cost: \$ 8,258.00

1 EACH

98. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett Packard Company, model 3325A, serial number 2512A21405. Portable, solid state. Signal data type per channel: Operating channel pulse. Special features: Nainsynthesizer-function generator; sine, square, triangle, negative and positive ramps; Voltage rating: 100/120/220/240 VAC, 48 to 66 Hz, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 20 pounds
Acquisition Cost: \$ 4,400.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

99. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett Packard Company, model 3325A, serial number 1748A08283. Portable, solid state. Signal data type per channel: Operating channel pulse. Special features: Nainsynthesizer-function generator; sine, square, triangle, negative and positive ramps; Voltage rating: 100/120/220/240 VAC, 48 to 66 Hz, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 20 pounds
Acquisition Cost: \$ 4,400.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

100. ANALYZER, DIGITAL DATA, ELECTRONIC TEST:

Hewlett-Packard Company, model 1650B, serial number 2945A02171, logic analyzer. Cathode ray tube indicator. 115 VAC, 60 Hz, single phase. 80-channels of 36 MHz state, 100 MHz timing. 1 Kbyte per channel memory. Glitch capture on all channels. Lead sets included. Overall dimensions: 14"L x 17"W x 9"H.

NSN: 6625-01-321-9286
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 22 pounds
Acquisition Cost: \$ 7,800.00

1 EACH

101. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 89410A, serial number 3416A01908. Frequency range rating: 0.000 to 10.000 MHz. Voltage rating: 115/230 VAC. Operating temperature: 0 to 55 degrees Celsius. Overall dimensions: 22"L x 19"W x 9"H.

NSN: 6625-01-448-8576
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 75 pounds
Acquisition Cost: \$ 34,000.00

1 EACH

102. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3588A, serial number 3005A0110B. Frequency range rating: 0.000 to 150.000 MHz. Voltage rating: 115 volts minimum and 150 volts maximum. With synthesized tracking generator. Overall dimensions: 23"L x 17"W x 9"H.

NSN: 6625-01-393-8013
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 75 pounds
Acquisition Cost: \$ 23,729.75

1 EACH

103. OSCILLOSCOPE:

Tektronix, Inc., model 2445, serial number B023335. Frequency rating: 48 Hz minimum and 440 Hz maximum. Single phase. Voltage rating: 90/250 VAC. 150 MHz. Sweep frequency range: 0.0 to 200 MHz. Camera recording device accommodation. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 25 pounds
Acquisition Cost: \$ 3,927.85

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

104. OSCILLOSCOPE:

Tektronix, Inc., model 2445, serial number B023458. Frequency rating: 48 Hz minimum and 440 Hz maximum. Single phase. Voltage rating: 90/250 VAC. 150 MHz. Sweep frequency range: 0.0 to 200 MHz. Camera recording device accommodation. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 25 pounds
Acquisition Cost: \$ 3,927.85

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

105. OSCILLOSCOPE:

Tektronix, Inc., model 2445, serial number 8014815. Frequency rating: 48 Hz minimum and 440 Hz maximum. Single phase. Voltage rating: 90/250 VAC. 150 MHz. Sweep frequency range: 0.0 to 200 MHz. Camera recording device accommodation. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 25 pounds
Acquisition Cost: \$ 3,927.85

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

106. OSCILLOSCOPE:

Tektronix, Inc., model 485, serial number B189322. Frequency rating: 48 Hz minimum and 440 Hz maximum. Voltage rating: 90/136/180/272 VAC. Table mount. Graduation interval: graduated in V/ CM both axes. Overall dimensions: 18.5"L x 12"W x 6.6"H.

NSN: 6625-00-548-8181
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 20 pounds
Acquisition Cost: \$ 9,190.00

1 EACH

107. ANALYZER, DIGITAL DATA, ELECTRONIC TEST:

Hewlett-Packard Company, model 3780A, serial number 2725U04035. 115 VAC, 48/66 Hz, single phase. Measures binary and code errors. Portable unit. Data logging and graphs to external printer. Generator, pattern/error detector used for bite drawer tests. Overall dimensions: 18"L x 13"W x 10"H.

NSN: 6625-01-034-4048
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 13 pounds
Acquisition Cost: \$ 7,479.00

1 EACH

108. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 2718A06020, plug-in. Cathode display tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, noise measurements, and terminal interaction. Frequency range rating: 0.020 to 40.000 MHz. Overall dimensions: 25"L x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE Q

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose
Inside - Used – Condition Code: A
Estimated weight: 88 pounds
Acquisition Cost: \$ 23,710.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

109. VOLTMETER:

Fluke Corporation, model 8920A, serial number 3110040. Electronic, solid state, 5-digit digital display and dial with pointer. Frequency response range: 0.050 to 200.000 kHz. Frequency rating: 50 Hz minimum and 400 Hz maximum. True RMS AC with read out in volts or decibels; AC or AC + DC measurement; autoranging; selectable Dbm reference impedance; analog display for peak/null adjustments; rear panel linear analog output; relative Db measurements; full frequency range 2 Hz to 20 MHz. Overall dimensions: 12.9"L x 8"W x 4.3"H.

NSN: 6625-01-081-2638
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose
Inside - Used – Condition Code: A
Estimated weight: 6 pounds
Acquisition Cost: \$ 3,471.10

1 EACH

110. VOLTMETER:

Fluke Corporation, model 8920A, serial number 3118039. Electronic, solid state, 5-digit digital display and dial with pointer. Frequency response range: 0.050 to 200.000 kHz. Frequency rating: 50 Hz minimum and 400 Hz maximum. True RMS AC with read out in volts or decibels; AC or AC + DC measurement; autoranging; selectable Dbm reference impedance; analog display for peak/null adjustments; rear panel linear analog output; relative Db measurements; full frequency range 2 Hz to 20 MHz. Overall dimensions: 12.9"L x 8"W x 4.3"H.

NSN: 6625-01-081-2638
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose
Inside - Used – Condition Code: A
Estimated weight: 6 pounds
Acquisition Cost: \$ 3,471.10

1 EACH

111. VOLTMETER:

Fluke Corporation, model 8920A, serial number 3215003. Electronic, solid state, 5-digit digital display and dial with pointer. Frequency response range: 0.050 to 200.000 kHz. Frequency rating: 50 Hz minimum and 400 Hz maximum. True RMS AC with read out in volts or decibels; AC or AC + DC measurement; autoranging; selectable Dbm reference impedance; analog display for peak/null adjustments; rear panel linear analog output; relative Db measurements; full frequency range 2 Hz to 20 MHz. Overall dimensions: 12.9"L x 8"W x 4.3"H.

NSN: 6625-01-081-2638
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose
Inside - Used – Condition Code: A
Estimated weight: 6 pounds
Acquisition Cost: \$ 3,471.10

1 EACH

112. VOLTMETER:

Fluke Corporation, model 8920A, serial number 4155012. Electronic, solid state, 5-digit digital display and dial with pointer. Frequency response range: 0.050 to 200.000 kHz. Frequency rating: 50 Hz minimum and 400 Hz maximum. True RMS AC with read out in volts or decibels; AC or AC + DC measurement; autoranging; selectable Dbm reference impedance; analog display for peak/null adjustments; rear panel linear analog output; relative Db measurements; full frequency range 2 Hz to 20 MHz. Overall dimensions: 12.9"L x 8"W x 4.3"H.

NSN: 6625-01-081-2638
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose
Inside - Used – Condition Code: A
Estimated weight: 6 pounds
Acquisition Cost: \$ 3,471.10

1 EACH

113. AMPLIFIER, ELECTRONIC CONTROL:

Hewlett-Packard Company, model 5087A, serial number 2208A04666. End item identification: Communications system agency and satellite communication agency equipment AN/USC-28. Overall dimensions: 17"L x 13"W x 4"H.

NSN: 5895-01-318-0646
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817

Loose
Inside - Used – Condition Code: A
Estimated weight: 12 pounds
Acquisition Cost: \$ 2,838.00

1 EACH

114. OSCILLOSCOPE:

Tektronix, Inc., model 314, serial number 305467. Input impedance rating: 1.0 megohms nominal. AC or DC current. Overall dimensions: 17.6"L x 9.3"W x 4.4"H.

NSN: 6625-01-104-3152
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 5,259.18

1 EACH

115. OSCILLOSCOPE:

Tektronix, Inc., model 314, serial number 300061. Input impedance rating: 1.0 megohms nominal. AC or DC current. Overall dimensions: 17.6"L x 9.3"W x 4.4"H.

NSN: 6625-01-104-3152
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 5,259.18

1 EACH

116. OSCILLOSCOPE:

Tektronix, Inc., model 314, serial number 305419. Input impedance rating: 1.0 megohms nominal. AC or DC current. Overall dimensions: 17.6"L x 9.3"W x 4.4"H.

NSN: 6625-01-104-3152
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 5,259.18

1 EACH

117. OSCILLOSCOPE:

Tektronix, Inc., model 335, serial number 307335. Sweep circuit type: Horizontal and vertical. AC or DC current. Overall dimensions: 17.6"L x 9.3"W x 4.4"H.

NSN: 6625-01-082-1535
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 600.00

1 EACH

118. OSCILLOSCOPE:

Tektronix, Inc., model 335, serial number 307343. Sweep circuit type: Horizontal and vertical. AC or DC current. Overall dimensions: 17.6"L x 9.3"W x 4.4"H.

NSN: 6625-01-082-1535
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 600.00

1 EACH

119. OSCILLOSCOPE:

Tektronix, Inc., model 305DDM, serial number 304562. AC and DC. Frequency rating: 48 Hz minimum and 440 Hz maximum. Single phase. Voltage rating: 90/132 VAC. Sweep frequency range: 0.0 to 5.0 MHz. Trigger sweep voltage: 5.0 millivolts minimum and 10.0 millivolts maximum. Overall dimensions: 14.6"L x 9.3"W x 4.4"H.

NSN: 6625-01-086-7005
DEMIL CODE B

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 7 pounds
Acquisition Cost: \$ 3,030.00

1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control
List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND
SUBMITTED BY HIGH BIDDER PRIOR TO AWARD.

120. OSCILLOSCOPE:

Tektronix, Inc., model 326, serial number 304759. Amplifier input impedance rating provided. AC or DC current. Frequency rating: 48Hz minimum and 440 Hz maximum. Overall dimensions: 15"L x 8.7"W x 4"H.

NSN: 6625-00-395-9393
DEMIL CODE A

CONTACT: MIKE DREXEL PHONE: 443-479-2817
Loose
Inside - Used – Condition Code: A
Estimated weight: 15 pounds
Acquisition Cost: \$ 600.00

1 EACH

Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)

See DRMS pamphlet, *Sale by Reference, March 1994*, for General Information and Instructions 1 thru 17.

- 18. Submission of Bids.** Bids must be in the possession of the Sales Contracting Officer by the hour (exact time) specified for the bid opening. Bids must be submitted on the forms provided in this Invitation. Forms must be typewritten or prepared in ink or indelible pencil, and signed by the person submitting the bid. Envelopes containing the bids must be sealed and identified by the name and address of the bidder, the number of the sale, and the date and hour of the bid opening. (See following format.)

NAME _____			POSTAGE REQUIRED
ADDRESS _____			
CITY _____	ST _____	ZIP _____	
SALES CONTRACTING OFFICER DRMS-BU 74 WASHINGTON AVE., NORTH BATTLE CREEK, MI 49017-3092			
SALE NUMBER: 38-3621 BID OPENING DATE: April 23, 2003; at 9:00 A.M. (EDST) BIDDER IDENTIFICATION NUMBER: 300-FILL-IN-YOUR-NUMBER			

19. Bids may be submitted via:

- A. U.S. Mail—Users of the U.S. Postal Service (including USPS Express Mail)
- B. Express Mail/Hand Carried Bids—Users of Express Mail Services and hand carried bids.
- C. Electronic Method—Instructions for on-line bidding at <http://www.drms.com>
- D. Telegraphic Methods (Telegram/Mailgram/Facsimile)—Bids submitted by telegraphic means must be specific and must include the following information:
 - Name and title of sender, Complete firm name (if corporation),
 - Complete address and telephone number,
 - Invitation For Bid Number,
 - Item Number(s) bid on,
 - Unit price and total price,
 - INCLUDE the following statement:
 - "I agree to be bound by all the terms and conditions of this Invitation for Bid".

Bidder's Signature

20. Telephonic bids will not be accepted on this sale.

- 21.** All bids must be addressed and mailed or delivered to:
 Sales Contracting Officer
 DRMS-BU
 74 Washington Ave North
 Battle Creek, MI 49017-3092
 Facsimile Number: (269) 961-7568

- 22.** All payments must be addressed and mailed or delivered to:
 Defense Reutilization and Marketing Service
 ATTN: Cashier
 74 Washington Ave North
 Battle Creek, MI 49017-3092
 Facsimile Number: (269) 961-7314

- 23. Personal Checks:** Personal checks will be accepted for payments of debts, interest, liquidated damages, overages and storage charges, for amounts of \$25.00 or less. Make checks payable to the U.S. Treasury.
- 24. Facsimile Notification Of Award:** The bidder may request facsimile notification or award by checking the appropriated block on the Item Bid Page. When requested by the bidder, facsimile notification will be sent simultaneously with the mailing of the contract and will include the contract number and item(s) awarded.
- 25. Disposal Notification to All Purchasers and Sub-Purchasers:** The use, disposition, export and reexport of this property is subject to all applicable U.S. laws and regulations, including the Arms Export Control Act (22 CFR 2751 et seq.); the Export Administration Act of 1979 (560 U.S.C. App. 2401 et seq.); International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.); and the Espionage Act (37 U.S.C. 791 et seq.) which among other things, prohibits:
- a. The making of false statements and concealment of any material information regarding the use or disposition, export or reexport of the property, and
 - b. Any use or disposition, export or reexport of the property which is not authorized in accordance with the provisions of this agreement.
- Before any export or reexport of this property is attempted, contact the Office of Defense Trade Controls, Department of State and the Bureau of Export Administration, Department of Commerce for export licensing requirements.

ADDITIONAL GENERAL INFORMATION AND INSTRUCTIONS - SEALED BID - CONTINUED

26. CALENDER SENSITIVE (YEAR 2000) EQUIPMENT: The year 2000 (Y2K) technology problem, also known as the millennium bug, is the inability of some computers and computerized systems/equipment to correctly recognize dates after 1999. Computers and other calendar-sensitive property turned in by the Department of Defense and other authorized generators are not immune to this problem. In most cases, it is impossible to identify what will be affected and what will not be without extensive testing. Bidders are notified that the condition of the property, as expressed in item descriptive data, is based on visual inspection that is not adequate to determine year 2000 compatibility.

If you have an interest in any property that may be affected by the Y2K technology problem, you should contact the manufacturer or check the manufacturer's web site to see if any information is available regarding the property's year 2000 compatibility. You may visit the General Service Administration's Year 2000 web site at the following internet address: [http:// www.itpolicy.gsa.gov/mks/yr2000/y2home.htm](http://www.itpolicy.gsa.gov/mks/yr2000/y2home.htm) or you can also obtain information from the Federal Year 2000 Information Center at 1-888-872-4925.

NOTICE: Bids on this sale will be processed by automatic data processing equipment under a system, which is not capable of evaluating combination bids. Accordingly, qualified, tie-in, all-or-none or any other combination or floating bids will be rejected. BIDDERS MUST submit a distinct individual price for each item bid upon in order for their bids to be considered for award.

NOTICE!!!

High bids on Demil B or Q items, where an End Use Certificate is required, are taking 60 to 120 days (or longer) to clear Trade Security Control, part of the Department of Commerce. To ensure you don't lose the right to the property, during the clearance process, please enter "60" or leave blank the portion of Standard Form 114, Item Bid and Award Page, which states, "In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within _____ calendar days...to pay for and remove the property." **We are unable to extend Bid Acceptance Periods of less than 60 days.** Failure to leave this line blank or specifying less than 60 days may cause you to lose the right to the property.

Inspection Dates and Times**INSPECTION DATES AND TIMES**

April 14 thru 17, 2003 from 10:00AM – 2:00PM (EDST)

Items 1 – 120 Inspection Notes: Monday through Thursday **only**. From BWI Airport, Baltimore: Take I-195 North (Baltimore Washington Parkway). Bear right onto 695 East (Baltimore Beltway). Take exit for 2 South (Route 10). Take first exit (Ordnance Road East). Go approximately 100 yards (2nd light) and turn right into "Bay Meadow Business Park", onto Bay Meadow Drive. Follow to the 4th building on the right under the blue tower. Address on building is 6730 Bay Meadow Drive.

Loading Table**REMOVAL DAYS**

Time for Removal: The removal period is established on the basis that a written notice of award will be made within seven days after Bid Opening Date. Should the written notice of award on any item(s) not be made within that time an appropriate allowance will be made in the date of removal of such items.

Property must be removed by: May 08, 2003

Loading Legend

I - Purchaser load (NO Government Assistance)

ITEMS 1 - 120: Removals must be made May 5 - 8, 2003 between the hours of 10:00 A.M. to 2:00 P.M. (EDST).

Loading Notes

ITEM (S) 1 – 120 Removals must be made: May 5 - 8, 2003 from 10:00 A.M. to 2:00 P.M. (EDST).

Follow directions set forth in Inspection Notes. Show drivers license, current registration, and proof of insurance along with a paid copy of DRMS Form 1427, Notice of Award Statement and Release Document to obtain pass. A DRMS Form 1646, Letter of Authorization, is also required for anyone other than Purchaser, for property release. **A 24-hour notice is required prior to removal of property.** Point of contact is Mike Drexel. Telephone (443) 479-2817 or pager 1-800-759-7243 #1776473.

Common Carriers and Packing Concerns: A list of Common Carriers and Packing Concerns servicing this geographic area is available upon request from the Sales Contracting Officer (SCO). This list may not include every provider of service. The Government assumes no responsibility or liability for services furnished by any firms listed, nor does the Government endorse the use of or business practices of any listed business.

Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)

The General Information and Instructions and General and Special Conditions of Sale are hereby incorporated by reference and become a part of this Invitation for Bids and any contract resulting from acceptance of bid submitted pursuant to this Invitation for Bids as fully as though such Instructions, Term and Conditions had been specifically set forth herein. The Instructions, Term and Conditions are contained in Defense Reutilization and Marketing Service pamphlet entitled *Sale by Reference - Instructions, Terms and Conditions Applicable to Department of Defense Personal Property Offered for sale by Defense Reutilization and Marketing Service dated March 1994*, and may be obtained from the DRMS Web site, www.drms.com or upon request from the DRMS National Sales Office, 74 Washington Ave. North, Battle Creek, MI 49017-3092. Copies are available through any activity of the Defense Reutilization and Marketing Service.

The specific Instructions, Terms and Conditions applicable to this sale are as follows:

DRMS pamphlet *Sale by Reference, March 1994*:

- Part 1: **General Information and Instructions** (DRMS Form 81, Oct 93): Complete except: Condition 6 should read: Any sale or use tax imposed by any state, country or political subdivision will be paid by the Purchaser.
- Part 2: **General Sale Terms and Conditions** (Standard Form 114C, Jun 86 ed., and DRMS Form 84, Oct 93). All Conditions.
- Part 3: **Special Sealed Bid Conditions** (Standard Form 114C-1, Jan 70 ed., and DRMS Form 99, Oct 93). All Conditions Except E.
- Part 5: **Additional Special Circumstance Conditions - Miscellaneous** (DRMS Form 86, Oct 93). As specified in item description.
- Part 6: **Additional Special Circumstance Conditions - Demilitarization and Mutilation** (DRMS Form 95, Oct 93). As specified in item description.
- Part 7: **Additional Special Circumstance Conditions - Hazardous and Dangerous Property** (DRMS Form 98, Oct 93). As specified in item description.

In addition to the above, the following is also incorporated as part of this sale:

Articles

Article BO1: Bid Deposits and Payment

A bid deposit is not required on this sale. Full payment is required prior to removal in accordance with DRMS Pamphlet, *Sale by Reference, March 1994, Part 2, Condition 6*.

All payments, including those for storage charges, liquidated damages, and interest, must be in U.S. currency in the form of cash, cashier's check, certified check, traveler's check, bank draft, money order or credit card (MasterCard, Visa or Discover Card only). Make checks payable to the U.S. Treasury. When a credit card is used as payment, the credit card number, the name as printed on the credit card and the expiration date must be provided. If more than one credit card is used, the bidder must identify the exact monetary amount to be applied against each credit card. Bidders whose payment is accompanied by a letter of credit, or who have an approved bid bond (SF150 or SF151) on file may make payments by uncertified personal or company checks, but only up to an amount equal to the penal sum of their bond or the amount of their letter of credit.

If, for any reason, a bidder's uncertified check is not honored for payment by the payee's bank upon initial presentment, the Government may, after notifying the bidder, require the bidder to make all future payments by cash, cashiers check, certified check, traveler's check, bank draft or money order.

Successful bidders that wish to make payment via credit card for property awarded can do so by providing language substantially as follows:

I (WE) AUTHORIZE THE SALES CONTRACTING OFFICER TO OBTAIN PAYMENT BY CREDIT CARD FOR ANY ITEMS I AM (WE ARE) AWARDED ON THIS SALE.

Any necessary adjustments in accordance with the condition of sale entitled "Adjustment or Variation in Quantity or Weight" will be applied to the card as a debit or credit.

Personal checks will be accepted for payments of debt interest, liquidated damages, overages, and storage charges for amounts of \$25.00 or less.

All payments should be addressed and mailed or delivered to:

Defense Reutilization and Marketing Service
ATTN: Cashier
74 North Washington Avenue
Battle Creek, MI 49017-3092

Credit card payments may be faxed to (269) 961-7314

Article B07: Change In Contract Clauses

The terminology "Strategic List" and "SLI" appearing in Article J: STRATEGIC LIST ITEMS (SLI) and Article K: MUNITIONS AND STRATEGIC LIST ITEM (MLI/SLI) COMPLIANCE found at Part 5 of the Sale by Reference pamphlet dated March 1994 is deleted and "Commodity Control List" and "CCLI", respectively, is substituted therefore. All other language remains unchanged and in full force and effect.

Article B27: Hold Harmless Condition

The purchaser shall hold and save the Government and its personnel free and harmless from liability of any nature or kind occasioned by operations of the purchaser on Government premises.

Article KC: Illicit Acts

During the performance of the contract awarded, the purchaser agrees to assume full responsibility for any illicit act committed by his assigned agents and/or employees while such personnel are within the confines of the U.S. military installation or any area involved in the performance of such contract. For the purpose of this condition of sale, illicit acts include, but are not limited to, commission of fraud, theft, bribery, receiving stolen property, and any other alleged offense not specifically indicated. Therefore, the purchaser agrees to ensure complete supervision over such personnel who are engaged in the performance of any contract awarded. Violation of above requirement by the purchaser and/or agents may result in temporary suspension or permanent debarment of the contractor.

Article SA: Storage Charges/Late Removal Charges

Notwithstanding Part 2, Condition No. 28, if the Purchaser fails to remove the property within the time limits specified for removal, or within any extension of time which may be granted by the Sales Contracting Officer, pursuant to Condition No. 8, General Sales Terms and Conditions (Standard Form 114C), charges at the following rate(s) per day, per item, excluding Saturdays, Sundays, and Federal Holidays will be assessed:

<u>ITEM NUMBERS</u>	<u>RATE PER DAY</u>
1 –120	\$10.00

Sale of Government Property Item Bid and Award Page

Address your bid to: Defense Reutilization and Marketing Service DRMS-BU, National Sales Office 74 Washington Avenue North Battle Creek, MI 49017-3092 Sale No: 38-3621	Bids will be opened at: Defense Reutilization and Marketing Service DRMS-BU, National Sales Office 74 Washington Avenue North Battle Creek, MI 49017-3092 Date: April 23, 2003; at 9:00 A.M. (EDST)
--	--

Bids will be publicly opened on the date and time specified, subject to:

1. TERMS AND CONDITIONS

- ☒ General Sale Terms and Conditions, SF 114C, Jun. 86 ed.; and
 Special Sealed Bid Conditions, SF 114C-1, Jan. 1970 ed
☒ Terms/conditions incorporated herein by reference;
☒ Special terms/conditions incorporated into the Invitation for Bid;

2. PAYMENT REQUIREMENTS

- ☒ Bidder is required to pay for any or all of the items listed on the Item Bid Page(s) at the price bid for each item, in accordance with Article B01.

BID (This section to be completed by the Bidder)

In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within _____ calendar days (60 calendar days if no period is specified by the Government or the Bidder, but not less than 10 calendar days) to pay for and remove the property. The total amount is \$ _____.

THE BIDDER (Check appropriate boxes)

1. ☐ has, ☐ has not, inspected the property on which the bid is submitted.
 2. ☐ is, ☐ is not, an individual or a small business concern. (See CFR, Title 13, Chapter 1, Part 121, Sec. 121.3-9, for the definition of small business.)

Complete the following only if the total amount of the bid(s) exceeds \$25,000.

- 3a. ☐ has, ☐ has not, employed or retained any company or person (other than a full-time, bona fide employee working solely for the Bidder) to solicit or secure this contract, and
 3b. ☐ has, ☐ has not, paid or agreed to pay any company or person (other than a full-time, bona fide employee working solely for the Bidder) any fee, commission, percentage or brokerage fee, contingent upon or resulting from the award of this contract; and agrees to furnish information relating to (a) and (b) above as requested by the Contracting officer, (For interpretation of the representation, including the term "bona fide employee", see CFR, TITLE 41, SUBPART 101-45.3.)

Name and address of bidder (Street, City, State, and Zip Code) (type or print) - (MUST be same on envelope) Telephone number: Bidder identification no. (If applicable) 300 _____	Signature of person authorized to sign this bid	
	Signers name and title (type or print)	Date of bid

Acceptance by the Government (This section for Government use only)

Accepted as to item(s) numbered (For acceptance information see DRMS Form 1427 attached)	United States of America By: (Contracting Officer)	Date of Acceptance
Total Amount	Contract Number(s)	Name and Title of Contracting Officer

Standard Form 114 - Computer Generated

INDIVIDUAL BIDS ONLY!

[illegible]

Bid number to be filled in by sales office		Name of bidder and identification number, if applicable (type or print)
---	--	--

Page 28

Credit Card Information

Please Note

Effective immediately, if you use a credit card for payment and, at the time of processing, it is declined by the bank, you will be advised, in writing, that your credit card will no longer be accepted for a period of one (1) year. Fraudulent use of credit cards will result in your being recommended for debarment from the DRMS sales program.

If a credit card is to be used as a payment, complete the following information and return this sheet with your bid, or AFTER AWARD, facsimile this completed page to (269) 961-7314. Be sure to include your contract number.

(Please type or legibly print information)

First Name: _____ Last Name: _____

Company Name: _____

Card Holder Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____ - _____

Master Card () Visa () Discover () American Express ()

Credit Card Number: _____

Expiration Date: Month _____ Year _____

I (we) authorize the sales contracting officer to obtain payment by credit card for any items I am (we are) awarded on this sale.

Authorized Signature

Date